FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

Date: 25/04/2025 Page 1/16

Revision: N°5 (14/04/2025)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: DESODORISANT MINT ZONE ELIS/KENNEDY

Product code : CTG161455/0/01\_SGP. UFI : QVD4-751V-C000-3XPR

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

EU-Supplier CH-Supplier / Importer

Registered company name : FABRICATION CHIMIQUE ARDECHOISE. Registered company name : Hygolet (Schweiz) AG

Address: 1041, chemin de la Digue du Rhône.07300.TOURNON cedex.FRANCE. Address: Zürcherstrasse 70, 8620 Wetzikon, SCHWEIZ Telephone: 04-75-07-82-10. Fax: 04-75-07-16-89. Telephone: +41 44 930 06 63

RegMI.fca@fareva.com / http://www.fareva.com/ info@hygolet.com

#### 1.4. Emergency telephone number: +33 (0)1.45.42.59.59.

Association/Organisation: ORFILA http://www.centres-antipoison.net.

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Aerosol, Category 1 (Aerosol 1, H222 - H229).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H336).

 $Hazardous\ to\ the\ aquatic\ environment\ -\ Chronic\ hazard,\ Category\ 3\ (Aquatic\ Chronic\ 3,\ H412).$ 

The propellant gas is not taken into account when determining the health and environmental classification of the mixture.

### 2.2. Label elements

Mixture for aerosol application.

Hazard pictograms:





GHS02

GHS07

 $Signal\ Word:$ 

#### DANGER

Product identifiers:

603-117-00-0 PROPAN-2-OL EC 233-944-9 MENTHONES EC 229-352-5 L-CARVONE

EC 203-205-5 ANETHOLE (ISOMER UNSPECIFIED) EC 227-813-5 (R)-P-MENTHA-1,8-DIÈNE; D-LIMONÈNE

EC 202-759-5 CARVONE

EC 204-317-7 METHYL SALICYLATE EC 201-036-1 CEDRYL ACETATE

EC 240-458-0 3,7-DIMETHYLOCTA-2,6-DIEN-1-YL ACETATE

EC 204-872-5 BETA-PINENE

Date: 25/04/2025 Page 2/16

Revision: N°5 (14/04/2025)

EC 203-354-6 OMEGA-PENTADECALACTONE

EC 201-291-9 ALPHA-PINENE

Hazard statements:

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - General:

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Precautionary statements - Storage:

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

Precautionary statements - Disposal:

P501 Eliminate the contents / container according to the local regulations.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

**Composition:** 

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 601_004_00_0	GHS02, GHS04	С	25 <= x % < 50
CAS: 106-97-8	Dgr	[i]	
EC: 203-448-7	Flam. Gas 1A, H220	[vii]	
REACH: 01-2119474691-32	Press. Gas, H280		
BUTANE			
INDEX: 603_002_005A	GHS07, GHS02	[i]	$10 \le x \% < 25$
CAS: 64-17-5	Dgr		
EC: 200-578-6	Flam. Liq. 2, H225		
REACH: 01-2119457610-43	Eye Irrit. 2, H319		
ETHANOL			
INDEX: 603-117-00-0	GHS02, GHS07	[i]	$2.5 \le x \% < 10$
CAS: 67-63-0	Dgr		
EC: 200-661-7	Flam. Liq. 2, H225		
REACH: 01-2119457558-25	Eye Irrit. 2, H319		
	STOT SE 3, H336		
PROPAN-2-OL			
INDEX: I2216_51_5	GHS07		1 <= x % < 2.5
CAS: 2216-51-5	Wng		
EC: 218-690-9	Skin Irrit. 2, H315		
REACH: 01-2119458866-21	Eye Irrit. 2, H319		
L-MENTHOL			

Version: N°1 (14/04/2025) FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

Date: 25/04/2025 Page 3/16 Revision: N°5 (14/04/2025)

,			
INDEX: B10458147	GHS07		$0 \le x \% < 1$
CAS: 10458-14-7	Wng		
EC: 233-944-9	Skin Irrit. 2, H315		
	Skin Sens. 1, H317		
MENTHONES	Acute Tox. 4, H332		
	Aquatic Chronic 3, H412		
INDEX: I6485_40_1	GHS07		0 <= x % < 1
CAS: 6485-40-1	Wng		
EC: 229-352-5	Skin Sens. 1B, H317		
REACH: 01-2119962458-25	Skiii Selis. 1B, 11317		
REACH. 01-2119902438-23			
L-CARVONE			
INDEX: 1104_46_1	GHS07		0 <= x % < 1
CAS: 104-46-1	Wng		0 <= x /0 < 1
EC: 203-205-5	Skin Sens. 1B, H317		
AMETHOLE (ISOMED LINSDECIEIED)			
ANETHOLE (ISOMER UNSPECIFIED) INDEX: F5989275	GHS07, GHS09, GHS08, GHS02		0 <= x % < 1
			U <- X % < 1
CAS: 5989-27-5	Dgr		
EC: 227-813-5	Flam. Liq. 3, H226		
	Asp. Tox. 1, H304		
(R)-P-MENTHA-1,8-DIÈNE; D-LIMONÈNE	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
INDEX: 199_49_0	GHS07		0 <= x % < 1
CAS: 99-49-0	Wng		
EC: 202-759-5	Skin Sens. 1B, H317		
202 737 3	Skiii Seiis. 15, 11517		
CARVONE			
INDEX: C101848	GHS07, GHS09	[i]	0 <= x % < 1
CAS: 101-84-8	Wng	1,7	
EC: 202-981-2	Eye Irrit. 2, H319		
Le. 202-701-2	Aquatic Chronic 2, H411		
DIPHENYL ETHER	Aquatic Cirolic 2, 11411		
INDEX: 1119_36_8	GHS07, GHS08, GHS05	[ii]	0 <= x % < 1
CAS: 119-36-8	Dgr	[11]	0 <= x /0 < 1
EC: 204-317-7	Acute Tox. 4, H302		
REACH: 01-2119515671-44	Skin Sens. 1B, H317		
MEMINAL GALLONA AFE	Eye Dam. 1, H318		
METHYL SALICYLATE	Repr. 2, H361		
DIDEN 155 54 0	Aquatic Chronic 3, H412		0 2 1
INDEX: 177_54_3	GHS07, GHS09		$0 \le x \% < 1$
CAS: 77-54-3	Wng		
EC: 201-036-1	Skin Sens. 1B, H317		
REACH: 01-2120739845-42	Aquatic Acute 1, H400		
	M Acute = 1		
CEDRYL ACETATE	Aquatic Chronic 1, H410		
	M Chronic = 1		
INDEX: I16409_44_2	GHS07		0 <= x % < 1
CAS: 16409-44-2	Wng		
EC: 240-458-0	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
3,7-DIMETHYLOCTA-2,6-DIEN-1-YL	Aquatic Chronic 3, H412		
ACETATE	1		

Version: N°1 (14/04/2025) FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

Date: 25/04/2025 Page 4/16 Revision: N°5 (14/04/2025)

INDEX: I127 91 3	GHS02, GHS07, GHS08, GHS09		0 <= x % < 1
CAS: 127-91-3	Dgr		0 <- X /0 < 1
EC: 204-872-5	Flam. Liq. 3, H226		
REACH: 01-2119519230-54	Asp. Tox. 1, H304		
KEACH. 01-2119319230-34	Skin Irrit. 2. H315		
DETA DIMENE	. ,		
BETA-PINENE	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
INDEX: I106_02_5	GHS07, GHS09		$0 \le x \% < 1$
CAS: 106-02-5	Wng		
EC: 203-354-6	Skin Sens. 1B, H317		
REACH: 01-2119987323-31	Aquatic Chronic 2, H411		
OMEGA-PENTADECALACTONE			
INDEX: I80_56_8	GHS02, GHS07, GHS08, GHS09		0 <= x % < 1
CAS: 80-56-8	Dgr		
EC: 201-291-9	Flam. Liq. 3, H226		
REACH: 01-2119519223-49	Acute Tox. 4, H302		
	Asp. Tox. 1, H304		
ALPHA-PINENE	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
INDEX: I84 66 2	M Chrome - 1	[i]	0 <= x % < 1
CAS: 84-66-2		[1]	U \- A /U \ 1
EC: 201-550-6			
REACH: 01-2119486682-27			
KEACH. 01-2119400002-27			
DIETHYL PHTHALATE			

Specific concentration limits

Specific concentration limits:		
Identification	Specific concentration limits	ATE
INDEX: I2216_51_5		oral: ATE = 2500 mg/kg BW
CAS: 2216-51-5		
EC: 218-690-9		
REACH: 01-2119458866-21		
L-MENTHOL		
INDEX: I6485_40_1		dermal: ATE = 3800 mg/kg BW
CAS: 6485-40-1		oral: ATE = 2500 mg/kg BW
EC: 229-352-5		
REACH: 01-2119962458-25		
L-CARVONE		
INDEX: I104_46_1		oral: ATE = 3000 mg/kg BW
CAS: 104-46-1		
EC: 203-205-5		
ANETHOLE (ISOMER UNSPECIFIED)		
INDEX: I99_49_0		dermal: ATE = 3800 mg/kg BW
CAS: 99-49-0		oral: ATE = 2500 mg/kg BW
EC: 202-759-5		
CARVONE		

Version: N°1 (14/04/2025)

FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

INDEX: I119_36_8	ora	ral: ATE = 890 mg/kg BW
CAS: 119-36-8		
EC: 204-317-7		
REACH: 01-2119515671-44		
METHYL SALICYLATE		

Date: 25/04/2025 Page 5/16

Revision: N°5 (14/04/2025)

#### **Information on ingredients:**

(Full text of H-phrases: see section 16)

- [i] Substance for which maximum workplace exposure limits are available.
- [ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.
- [vii] Propellant gas

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

#### 4.1. description of first aid measures

## In the event of exposure by inhalation:

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

In the event of inhalation of spray mist, seek medical attention immediately, showing the packaging or label.

### In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

## In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

### In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

## 5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive

Date: 25/04/2025 Page 6/16

Revision: N°5 (14/04/2025)

- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

#### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

Use some absorbent.

The elimination must be carried out by a registrated salvage professionnal.

## 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Date: 25/04/2025 Page 7/16

Revision: N°5 (14/04/2025)

#### Fire prevention:

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Do not spray on a naked flame or any incandescent material.

Do not pierce or burn, even after use.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in aerosols.

Where the personnel must carry out work in a booth, whether for spraying or otherwise, the ventilation may be inadequate to control particles and solvent vapors in every case.

It is therefore recommended that personnel wear masks with a compressed air supply during spraying operations until the concentration of particles and solvent vapors has fallen below the exposure limits.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Avoid skin and eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

# $\label{problem} \textbf{Prohibited equipment and procedures:}$

No smoking, eating or drinking in areas where the mixture is used.

Never open the packages under pressure.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

## Occupational exposure limits:

## - European Union :

CAS	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes:
101-84-8	7	1	14	2	_

Version: N°1 (14/04/2025)

FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

Date: 25/04/2025 Page 8/16

Revision: N°5 (14/04/2025)

#### - UK:

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
106-97-8	600 ppm	750 ppm		Carc	
	1450 mg/m3	1810 mg/m3			
64-17-5	1000 ppm				
	1920 mg/m3				
67-63-0	400 ppm	500 ppm			
	999 mg/m3	1250 mg/m3			
101-84-8	1 ppm	2 ppm			
	7 mg/m3	14 mg/m3			
84-66-2	5 mg/m3	10 mg/m3			

## Derived no effect level (DNEL) or derived minimum effect level (DMEL):

ETHANOL (CAS: 64-17-5)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 343 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term local effects.
DNEL: 1900 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 950 mg of substance/m3

Final use: Man exposed via the environment.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 87 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 206 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term local effects.

DNEL: 950 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 114 mg of substance/m3

## Predicted no effect concentration (PNEC):

ETHANOL (CAS: 64-17-5)

Environmental compartment: Soil.
PNEC: 0.63 mg/kg

Environmental compartment: Fresh water. PNEC: 0.96 mg/l

Environmental compartment: Sea water. PNEC: 0.79 mg/l

Environmental compartment: Fresh water sediment.

Date: 25/04/2025 Page 9/16

Revision: N°5 (14/04/2025)

PNEC: 3.6 mg/kg

Environmental compartment: Marine sediment. PNEC: 2.9 mg/kg

#### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard ISO 16321.

In the event of high danger, protect the face with a face shield.

When spraying, wear a face shield in accordance with standard ISO 16321.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

## - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

## - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of spraying, wear protective clothing against chemical risks and against sprayed liquid (type 4) in accordance with EN14605/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

### - Respiratory protection

Avoid inhaling vapors.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Type of FFP mask:

Wear a disposable half-mask aerosol filter in accordance with standard EN149/A1.

Category

- FFP1

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387:

- A1 (Brown)

Particle filter according to standard EN143:

- P1 (White)

Version: N°1 (14/04/2025)

FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

Date: 25/04/2025 Page 10/16

Revision: N°5 (14/04/2025)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

Physical state

Physical state : Fluid liquid.

Spray.

Colour

Unspecified

Odour

Odour threshold: Not stated.

**Melting point** 

Melting point/melting range: Not specified.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not specified.

**Flammability** 

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

:

Flash point

Flash point interval: Not relevant.

Auto-ignition temperature

Self-ignition temperature : Not specified.

**Decomposition temperature** 

Decomposition point/decomposition range: Not specified.

pН

pH: Not relevant. pH (aqueous solution): Not stated.

Kinematic viscosity

Viscosity: Not stated.

**Solubility** 

Water solubility: Dilutable. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: <1

Relative vapour density

Vapour density: Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

No data available.

FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

Date: 25/04/2025 Page 11/16

Revision: N°5 (14/04/2025)

## 9.2.1. Information with regard to physical hazard classes

No data available.

Aerosols

Chemical combustion heat : >= 30 kJ/g.

## 9.2.2. Other safety characteristics

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

#### 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- heating
- heat
- accumulation of electrostatic charges.
- flames and hot surfaces

## 10.5. Incompatible materials

Keep away from:

- strong acids
- strong oxidising agents

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## 11.1.1. Substances

## a) Acute toxicity:

METHYL SALICYLATE (CAS: 119-36-8)

Oral route : LD50 = 890 mg/kg body weight

CARVONE (CAS: 99-49-0)

Oral route: LD50 = 2500 mg/kg body weight

Dermal route : LD50 = 3800 mg/kg body weight

ANETHOLE (ISOMER UNSPECIFIED) (CAS: 104-46-1)

Oral route: LD50 = 3000 mg/kg body weight

L-CARVONE (CAS: 6485-40-1)

Oral route: LD50 = 2500 mg/kg body weight

Version: N°1 (14/04/2025)

FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

Dermal route: LD50 = 3800 mg/kg body weight

L-MENTHOL (CAS: 2216-51-5)

Oral route : LD50 = 2500 mg/kg body weight

### b) Skin corrosion/skin irritation:

No data available.

## c) Serious damage to eyes/eye irritation:

ETHANOL (CAS: 64-17-5)

Causes serious eye irritation.

Corneal haze: 1 <= Average score < 2 and effects totally reversible within 21 days of observation

Date: 25/04/2025 Page 12/16

Revision: N°5 (14/04/2025)

Conjunctival redness:  $2 \le \text{Average score} < 2.5$  and effects totally reversible within 21 days of observation

## d) Respiratory or skin sensitisation:

No data available.

## e) Germ cell mutagenicity:

No data available.

## f) Carcinogenicity:

No data available.

## g) Reproductive toxicant:

No data available.

## h) Specific target organ systemic toxicity - single exposure :

No data available.

## i) Specific target organ systemic toxicity - repeated exposure :

No data available.

### j) Aspiration hazard:

No data available.

### 11.1.2. Mixture

### 11.1.2.1 Information on hazard classes

## a) Acute toxicity:

Oral route: No data available.

Dermal route: No data available.

Inhalation route (Dusts/mist): No data available.

### b) Skin corrosion/skin irritation:

No data available.

#### c) Serious damage to eyes/eye irritation:

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days. Splashes in the eyes may cause irritation and reversible damage

## d) Respiratory or skin sensitisation:

May cause an allergic reaction by skin contact.

### e) Germ cell mutagenicity:

No data available.

## f) Carcinogenicity:

No data available.

### g) Reproductive toxicant:

No data available.

FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

Date: 25/04/2025 Page 13/16 Revision: N°5 (14/04/2025)

#### h) Specific target organ systemic toxicity - single exposure :

Narcotic effects may occur, such as drowsiness, narcosis, decreased alertness, loss of reflexes, lack of coordination or dizziness

Effects may also occur in the form of violent headaches or nausea, judgement disorder, giddiness, irritability, fatigue or memory disturbance.

## i) Specific target organ systemic toxicity - repeated exposure :

No data available.

#### j) Aspiration hazard:

No data available.

#### 11.1.2.2 Other information

# $Monograph(s)\ from\ the\ IARC\ (International\ Agency\ for\ Research\ on\ Cancer):$

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 67-63-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

## 11.2. Information on other hazards

### **Endocrine disrupting properties**

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

#### 12.1. Toxicity

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

### 12.7. Other adverse effects

#### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Version: N°1 (14/04/2025)

FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

Date: 25/04/2025 Page 14/16

Revision: N°5 (14/04/2025)

## **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2024 [65]).

### 14.1. UN number or ID number

1950

## 14.2. UN proper shipping name

UN1950=AEROSOLS, flammable

## 14.3. Transport hazard class(es)

- Classification:



2.1

## 14.4. Packing group

-

### 14.5. Environmental hazards

\_

## 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	2	5F	-	2.1	-	1 L	190 327 344	E0	2	D
							625			

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
								Handling	
	2	See SP63	-	See SP277	F-D. S-U	63 190 277	E0	- SW1 SW22	SG69
						327 344 381			
						959			

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	2.1	-	-	203	75 kg	203	150 kg	A145 A167	E0
								A802	
	2.1	-	-	Y203	30 kg G	-	-	A145 A167	E0
								A802	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

## 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## **SECTION 15: REGULATORY INFORMATION**

# $15.1.\ Safety, health\ and\ environmental\ regulations/legislation\ specific\ for\ the\ substance\ or\ mixture$

## Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

#### **Container information:**

No data available.

### Particular provisions:

No data available.

Date: 25/04/2025 Page 15/16

Revision: N°5 (14/04/2025)

## Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

## Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006: https://echa.europa.eu/fr/authorisation-list.

## Substances that deplete the ozone layer (EC Regulation No. 1005/2009, Montreal Protocol):

The mixture does not contain any substance posing a risk to the ozone layer.

#### Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

#### PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

## **Explosives precursors:**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

### 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3:

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

Version: N°1 (14/04/2025)

FABRICATION CHIMIQUE ARDECHOISE

## DESODORISANT MINT ZONE ELIS/KENNEDY - CTG161455/0/01\_SGP

Date: 25/04/2025 Page 16/16

Revision: N°5 (14/04/2025)

CMR: Carcinogenic, mutagenic or reprotoxic.

UFI : Unique formulation identifier. STEL : Short-term exposure limit TWA : Time Weighted Averages

TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

GHS02: Flame

GHS07: Exclamation mark

IATA: International Air Transport Association.
IMDG: International Maritime Dangerous Goods.
ICAO: International Civil Aviation Organisation

PBT: Persistent, bioaccumulable and toxic.

PIC: Prior Informed Consent.
POP: Persistent Organic Pollutant.

RID: Regulations concerning the International carriage of Dangerous goods by rail.

SVHC : Substances of very high concern. vPvB : Very persistent, very bioaccumulable.

WGK : Wassergefahrdungsklasse (Water Hazard Class).